

## Centrum stavebního inženýrství a.s. Praha Centre of Building Construction Engineering Prague

Akreditované zkušební laboratoře, Autorizovaná osoba, Oznámený subjekt, Certifikační orgán Accredited Test Laboratories, Authorised Body, Notified Body, Certification Body Pražská 16, 102 00 Praha 10



## CERTIFICATE OF CONSTANCY OF PERFORMANCE

1390 - CPR - 0322/12/P

In compliance with the Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

## Factory made mineral wool product ROCKWOOL used for thermal insulation of buildings, sold under the trade mark

Trade mark	Thermal conductivity W/mK	Reaction to fire	Type code according to EN 13 162	Line
FASROCK LG 1 FASROCK LG 2 (50-200mm)	0,041	A1	MW-EN 13162-T5-DS(70,90)-CS(10\Y)20- TR60-WS-WL(P)-MU1	MAL 5 MAL 7
FASROCK G (50-200mm)	0,037	A1	MW-EN 13162-T5-DS(70,90)-CS(10\Y)20- TR15-WS-WL(P)-MU1	MAL 5 MAL 7

placed on the market by:

ROCKWOOL Polska, Sp.z o.o.

ul. Kwiatowa 14

66-131 Cigacice, Poland

and produced in the factory:

Zaklad w Malkini

ul. Jana III. Sobieskiego

07-320 Malkinia (production line MAL 5,7)

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard

## EN 13 162:2012

under system 1 are applied and that the product fulfills all the prescribed requirements set out above.

This certificate was first issued on 02. 04. 2012 as a certificate in accordance with CPD and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Notified Body 1390 Prague, 28. 01. 2016



Ing. Petr Kučera, CSc. Deputy of Notified Body 1390